

**0.36x WIDE ANGLE CONVERSION PORT FOR N120 NIKON DSLR SYSTEM**

	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
NIKON APS-C	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	<b>19144</b> N1855VR II-Z	<b>21135</b> N120 Extension Ring 35 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* 1) Most recommended
	Nikon AF-S 17-35mm f/2.8D IF-ED	<b>19130</b> N1735-Z	<b>21150</b> Extension ring 50 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	<b>19138</b> N1635-Z	<b>21170</b> Extension ring 70 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	<b>19141</b> N1835-Z	<b>21140</b> Extension ring 40 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
NIKON FULL FRAME	Nikon AF-S Nikkor 28mm f/1.8 G		<b>21120</b> N120 Extension Ring 20 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28mm f/2.8D			<b>85201</b> 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	<b>19148</b> N287of3.5D-Z	<b>21135</b> N120 Extension Ring 35 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* 1) Most recommended

**0.36x WIDE ANGLE CONVERSION PORT FOR N120 CANON DSLR SYSTEM**

	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
CANON APS-C	Canon EF-S 18-55mm f/3.5-5.6 IS STM	<b>19547</b> C1855ISSTM-Z	<b>21130</b> Extension ring 30 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
	Sigma 18-35mm F1.8 DC HSM   A	<b>19552</b> SC1835f.18-Z	<b>21130+21135</b> Extension ring 30 +35 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	*1) Most recommended
				<b>85202</b> 0.36x Wide Angle Conversion Port	
	Canon EF 17-40mm f/4L USM	<b>19528</b> C1740-Z	<b>21120+21125</b> Extension ring 20 +25 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
	Canon EF 16-35mm F4L IS USM	<b>19548</b> C1635f4-Z	<b>21130+21135</b> Extension ring 30 +35 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
Canon EF 16-35mm f/2.8L III USM	<b>19554</b> C1635III-Z	<b>21135+21140</b> Extension ring 35 +40 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port		
CANON FULL FRAME	Canon EF 28mm f/1.8 USM			<b>85201</b> 0.36x Wide Angle Conversion Port	
	Canon EF 28mm f/2.8 IS USM			<b>85201</b> 0.36x Wide Angle Conversion Port	
	Canon EF 28-70mm f/3.5-4.5 II	<b>19557</b> C287of3.5II-Z	<b>21125</b> N120 Extension Ring 25 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	*1) Most recommended
	Canon EF 28-80mm f/3.5-5.6 II	<b>19558</b> C288of3.5II-Z	<b>21130</b> Extension ring 30 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
	Canon EF 28-80mm f/3.5-5.6 V USM	<b>19559</b> C288of3.5V-Z	<b>21130</b> Extension ring 30 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	
	Canon EF 35mm f/2 IS USM			<b>85201</b> 0.36x Wide Angle Conversion Port	

**0.36x WACP FOR N120 C200 & RED™ & EVA1**

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	REMARKS
Super 35 Sensors (Canon mount)	Canon EF-S 18-55mm f/3.5-5.6 IS STM	<b>16330</b> RC1855STM-Z	<b>16330</b> RC1855STM-F	<b>21125</b> N120 Extension Ring 25 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Sigma 18-35mm F1.8 DC HSM   A	<b>16326</b> RSC1835f.18-Z	<b>16326</b> RSC1835f.18-F	<b>21130+21135</b> Extension ring 30 +35 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port  <b>85202</b> 0.36x Wide Angle Conversion Port	* zoom from 20mm *1) Most recommended
	Canon EF 16-35mm F4L IS USM	<b>16317</b> RC1635f4-Z	<b>16318</b> RC1635f4-F	<b>21160</b> Extension ring 60 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Canon EF 16-35mm f/2.8L III USM	<b>16325</b> RC1635III-Z	<b>16325</b> RC1635III-F	<b>21170</b> Extension ring 70 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Canon EF 28-70mm f/3.5-4.5 II	<b>16334</b> RC2870II-Z	<b>16334</b> RC2870II-F	<b>21125</b> N120 Extension Ring 25 with Lock	<b>85201</b> 0.36x Wide Angle Conversion Port	*1) Most recommended

**0.36x WACP FOR N100 Sony A7RIII/A9/A7II/A7R II/A7S II**

	LENS	ZOOM GEAR	ADAPTOR	EXNTESIIONS	LENS PORT	
<b>SONY</b>	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	<b>37141</b> SE2870-Z	<b>37303</b> N100 to N120 35.5mm port adaptor	<b>21120</b> Extension ring 20 with lock	<b>85201</b> 0.36x Wide Angle Conversion Port	

**0.36x WACP FOR NN100 PORT SYSTEM FOR FUJIFILM XH1/XT3 SYSTEM**

	LENS	ZOOM	FOCUS	EXTENSION	LENS PORT	REMARKS
<b>FUJIFILM XH1/XT3</b>	FUJINON XF18-55F2.8-4.0	<b>36474</b> X1855-Z3		<b>37401</b> N100 Extension ring 30	<b>85203</b> N100 0.36x Wide Angle Conversion Port (Inc. N100 Extension ring 35,WACP and buoyancy collar)	*work range from 18-30mm