

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
MACRO	Canon EF-S 60mm f/2.8 Macro USM	19521 C60-F	18211 Port base		18704 Macro port 41 18303 Compact port 15
	Canon MP-E 65mm f/2.8 1-5X	19539 C65-F	18211 Port base	18550+18530+18530 Compact port ext. 50+30+30	18306 Compact port 50 with M67 thread
	Canon EF 100mm f/2.8 Macro USM	19522 C100-F	18211 Port base		18702 Macro port 87 18306 Compact port 50 with M67 thread
	Canon EF 100mm f/2.8L Macro IS USM	19523 C100IS-F	18211 Port base	18530 Compact port extension 30	18703 Macro port 94 18305 Compact port 30 with M67 thread
	Canon EF 180mm f/3.5L Macro USM		18211 Port base	18530+18540 Compact port ext. 30+40	18302 Compact port 50
	Sigma 50mm F2.8 EX DG Macro		18211 Port base	18520 Compact port extension 20	18303 Compact port 15
	Sigma 70mm F2.8 EX DG Macro		18211 Port base	18550 Compact port extension 50 18530 Compact port extension 30	18301 Compact port 30 18302 Compact port 50
	Sigma 105mm F2.8 EX DG OS HSM Macro	19553 SC105-F		21130 Extension ring 30 with lock	18701 Macro port 60
Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set *Support both standard and Cine version		21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	16336 N120 Port Adaptor for Laowa 24mm f/14 2x Macro Probe	
MACRO/WIDE	Canon EF 40mm f2.8 STM			18706 N120 Macro Port 12	86201 Macro to Wideangle Lens 1 (MWL-1) <i>OPTIONAL ACCESSORIES</i> 86222 Double Flip Holder for MWL-1 *compatible for APS-C system
STANDARD/ZOOM	Canon EF-S 18-55mm f/3.5-5.6 IS	19532 C1855IS-Z	18211 Port base		18303 Compact port 15
	Canon EF-S 18-55mm f/3.5-5.6 IS STM	19547 C1855ISSTM-Z	18211 Port base	21130 Extension ring 30 with lock	18303 Compact port 15 85201 0.36x Wide Angle Conversion Port
	Canon EF-S 18-135mm f/3.5-5.6 IS	19524 C18135IS-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
	Canon EF 24mm f/1.4L II USM			21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
	Canon EF 24-70mm f/2.8L II USM	19543 C2470II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
	Canon EF 24-70mm f/4L IS USM	19544 C2470f4-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
	Canon EF 24-105mm f/4L IS USM	19545 C24105-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-7-6

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
STANDARD/ZOOM	Canon EF 24-105mm f/4L IS II USM	19562 C24105II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock	18812 230mm optical glass fisheye port II
				21170 Extension ring 70 with lock	18809 (*1) 180mm optical glass wide angle port
	Sigma 17-70mm F2.8-4.5 DC Macro	19533 SC1770-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
	Sigma 17-70mm F2.8-4 DC Macro OS HSM	19534 SC1770OS-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	19540 SC1770OSC-Z		21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
	Sigma 18-35mm F1.8 DC HSM A	19552 SC1835f.18-Z		21180 Extension ring 80 with lock	18802 8.5" acrylic dome port
				21150+21150 Extension ring 50+50	18815 250mm optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm optical glass fisheye port II
				21180 Extension ring 80 with lock	18809 (*1) 180mm optical glass wide angle port
				21130+21135 Extension ring 30 +35 with lock	85201(*1) 0.36x Wide Angle Conversion Port
					85202 0.36x Wide Angle Conversion Port (Inc.N120 extension 65mm ,N120 to N100 port adapter 35, WACP and buoyancy collar)
WIDE/ZOOM	Canon EF-S 10-18mm f/4.5-5.6 IS STM	19549 C1018-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
	Canon EF-S 10-22mm f/3.5-4.5 USM	19525 C1022-Z		21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
				21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
	Canon EF 11-24mm f/4L USM	19550 C1124-Z		21150* Extension ring 50 with lock *Compatible from SN:A213191 onwards	18815 (*1) 250mm optical glass wide angle port II
				21170* Extension ring 70 with lock *Compatible from SN:A201966 onwards	18812 230mm optical glass fisheye port II
		19551 C1124-F		21271 Extension ring 70 with focus knob	18812 230mm optical glass fisheye port II

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	
Canon EF 16-35mm f/2.8L II USM	19527 C1635II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
			21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II	
			21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port	
	19542 C1635II-F		21270 Extension ring 70 with Focus knob	18802 8.5" acrylic dome port	
	Canon EF 16-35mm f4L IS USM	19548 C1635f4-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II
21170 Extension ring 70 with lock				18809 180mm optical glass wide angle port	
21130+21135 Extension ring 30 +35 with lock		85201 0.36x Wide Angle Conversion Port			
19560 C1635f4-F			21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	18812 230mm optical glass fisheye port II	
Canon EF 16-35mm f/2.8L III USM	19554 C1635III-Z		21190 Extension ring 90 with lock	18802 8.5" acrylic dome port	
			Extension ring 90 with lock	18815 250mm optical glass wide angle port II	
			Extension ring 90 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21180 Extension ring 80 with lock	18809 180mm optical glass wide angle port	
	21135+21140 Extension ring 35 +40 with lock	85201 0.36x Wide Angle Conversion Port			
	19555 C1635III-F		21271 + 21120 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM + Extension ring 20 with lock	18812 (*1) 230mm optical glass fisheye port II	
	Canon EF 17-40mm f/4L USM	19528 C1740-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II
21170 Extension ring 70 with lock				18812 (*1) 230mm optical glass fisheye port II	
21160 Extension ring 60 with lock				18809 180mm optical glass wide angle port	
21120+21125 Extension ring 20 +25 with lock				85201 0.36x Wide Angle Conversion Port	

WIDE/ZOOM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
STANDARD/WIDE	Canon EF 28mm f/1.8 USM				85201 0.36x Wide Angle Conversion Port
	Canon EF 28mm f/2.8 IS USM				85201 0.36x Wide Angle Conversion Port
	Canon EF 28-70mm f/3.5-4.5 II	19557 C2870f3.5II-Z		21125 N120 Extension Ring 25 with Lock	85201(*1) 0.36x Wide Angle Conversion Port
	Canon EF 28-80mm f/3.5-5.6 II	19558 C2880f3.5II-Z		21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port
	Canon EF 28-80mm f/3.5-5.6 V USM	19559 C2880f3.5V-Z		21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port
	Canon EF 35mm f/2 IS USM				85201 0.36x Wide Angle Conversion Port
WIDE/ZOOM	Sigma 8-16mm F4.5-5.6 DC HSM	19536 SC816-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
	Sigma 14mm F1.8 DG HSM Art	19563 SC14A-F		21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
	Sigma 14-24mm F2.8 DG HSM Art	19564 SC1424A-Z		21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm optical glass wide angle port II
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm optical glass wide angle port
Sigma 12-24mm F4 DG HSM Art	19556 SC1224A-Z		21160* Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm optical glass fisheye port II	
			21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm optical glass wide angle port II	

N120 PORT SYSTEM FOR CANON SYSTEM

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
Sigma 10-20mm F4-5,6 EX DCHSM	19535 SC1020-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
			21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
			21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
			21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
Sigma 20mm F1.4 DG HSM A			21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
			21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II
			21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19530 TC1116-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19531 TC1224-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Zeiss Distagon T* 2,8/15 ZE	16319 ZC15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm optical glass fisheye port II
Zeiss Milvus 2.8/18 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
Zeiss Milvus 2.8/21 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port

WIDE/ZOOM

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

N120 PORT SYSTEM FOR CANON SYSTEM

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	
Canon EF 8-15mm f/4L Fisheye USM	19537 C815-Z		21130 Extension ring 30 with lock	18802 8.5" acrylic dome port	
			21130 Extension ring 30 with lock	18812 230mm optical glass fisheye port II	
			21130 Extension ring 30 with lock	18811 (*1) N120 140mm optical glass fisheye port with removable shade	
	19541 C815-F		21230 Extension ring 30 with Focus knob	18802 8.5" acrylic dome port	
Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	19538 C815-Z+1.4	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port		
		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II		
		21150 Extension ring 50 with lock	18811 (*1) N120 140mm optical glass fisheye port with removable shade		
Canon EF 15mm f/2.8 Fisheye			21110 Extension ring 10 with screws	18802 8.5" acrylic dome port	
Sigma 10mm F2.8 EX DCHSM Fisheye			21110 Extension ring 10 with screws	18802 8.5" acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye	19546 SC15-F				
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19529 TC1017-Z				
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19629 TC1017-Z+1.4				
		21120 Extension ring 20 with lock	18804 4.33" acrylic dome port For Tokina 10-17 Lens		
		21120 Extension ring 20 with lock	18802 8.5" acrylic dome port		
		21120 Extension ring 20 with lock	18812 230mm optical glass fisheye port II		
		21110 Extension ring 10 with screws	18810 (*1) N120 140mm optical glass fisheye port		
		21120 Extension ring 20 with lock	18804 4.33" acrylic dome port For Tokina 10-17 Lens		
		21140 Extension ring 40 with lock	18802 8.5" acrylic dome port		
		21140 Extension ring 40 with lock	18812 230mm optical glass fisheye port II		
		21130 Extension ring 30 with lock	18810 (*1) N120 140mm optical glass fisheye port		

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-7-6