



ISOTTA[®]

HOUSINGS and ACCESSORIES
for UNDERWATER PHOTOGRAPHY

PORT CHART *Nikon*



ISOTECNIC Srl

Via Milano, 177/B | Castelnuovo del Garda | 37014 | Verona | Italia | Partita IVA 04476140233 | Tel. +39 045.6450480

info@isotecnic.it | www.isotecnic.it

Follow us on   

PORT CHART

Nikon

LENS	GEAR	PORT	EXTENSION RING	
NIKON AF-S 8-15 mm f/3.5-4.5 E ED Fisheye	Zoom Gear AS835	Dome 4,5" Crystal		
		Dome 6,5" Crystal Dome 5,5" Polycarbonate	20 mm AS775	
		Dome 9"	20 mm AS775	
NIKON AF-S DX Nikkor 10-24 mm F/3.5-4.5G ED	Zoom Gear AS810	Dome 6,5" Crystal Dome 5,5" Polycarbonate	50 mm AS778	(2*)
		Dome 9"	40 mm AS777	(1*)
NIKON AF-S DX Nikkor 12-24 mm F 4G IF-ED	Zoom Gear AS811	Dome 6,5" Crystal Dome 5,5" Polycarbonate	50 mm AS778	(2*)
		Dome 9"	40 mm AS777	(1*)
NIKON AF-S Nikkor 14-24 mm F 2.8G ED <i>(used with full frame camera)</i>	Zoom Gear AS812	Dome 6,5" Crystal Dome 5,5" Polycarbonate	80 mm AS831	(3*)
		Dome 9"	70 mm AS781	(1*) corner softness from 14 to 16mm
NIKON AF-S Nikkor 16-35 mm F 4G ED VR <i>(used with full frame camera)</i>	Zoom Gear AS859	Dome 6,5" Crystal Dome 5,5" Polycarbonate	80 mm AS831	(3*)
		Dome 9"	70 mm AS781	(1*) corner softness from 14 to 16mm
NIKON AF-S DX 16-80mm f/2.8-4 E ED VR	Zoom Gear AS613	Dome 6,5" Crystal Dome 5,5" Polycarbonate	60 mm AS775	(4*)
		Dome 9"	50 mm AS778	(1*)

⚠ CAUTION!

- (1*) Best set up for this lens.
- (2*) Come corner softness in the image at open to medium f/stops with this port set up.
- (3*) Evident corner softness with this set up.
- (4*) A diopter lens should be attached to the lens in order to keep close focus capabilities behind the dome port underwater.

Dome 4,5" -B120 cod. AS770
Dome 6,5" Crystal -B120 cod. AS740

Dome 5,5" Polycarbonate -B120 cod. AS801
Dome 9" -B120 cod. AS795

ISOTECNIC Srl

Via Milano, 177/B | Castelnuovo del Garda | 37014 | Verona | Italia | Partita IVA 04476140233 | Tel. +39 045.6450480

info@isotecnic.it | www.isotecnic.it

Follow us on [f](#) [i](#) [v](#)

PORT CHART

Nikon

LENS	GEAR	PORT	EXTENSION RING	
NIKON AF-S Nikkor 16-85 mm F 3.5-5.6G ED VR	Zoom Gear AS837	Dome 6,5" Crystal Dome 5,5" Polycarbonate	50 mm AS778	
		Dome 9"	40 mm AS777	
NIKON AF-S 17-35 mm F 2.8D IF-ED <i>(used with full frame camera)</i>	Zoom Gear AS838	Dome 6,5" Crystal Dome 5,5" Polycarbonate	70 mm AS781	(3*)
		Dome 9"	60 mm AS780	(1*)
NIKON AF-S DX 17-55mm f/2.8 G ED	Zoom Gear AS614	Dome 6,5" Crystal Dome 5,5" Polycarbonate	70 mm AS781	(4*)
		Dome 9"	60 mm AS780	(1*)
NIKON AF-S Nikkor 18-35 mm F 3.5-4.5G ED <i>(used with full frame camera)</i>	Zoom Gear AS813	Dome 6,5" Crystal Dome 5,5" Polycarbonate	40 mm AS777	(4*)
		Dome 9"	30 mm AS776	(1*)
NIKON AF Nikkor 18-35 mm F1:3.5-4.5	Zoom Gear AS814	Dome 6,5" Crystal Dome 5,5" Polycarbonate	40 mm AS777	
		Dome 9"	30 mm AS776	
NIKON AF-S DX Nikkor 18-55 mm F 3.5-5.6G VR	Zoom Gear AS873	Macro Port M67 H82 -B120 AS884		
NIKON AF-S DX Zoom Nikkor 18-55 mm F 3.5-5.6G ED II	Zoom Gear AS874	Macro Port M67 H82 -B120 (AS884)		

⚠ CAUTION!

- (1*) Best set up for this lens.
- (2*) Come corner softness in the image at open to medium f/stops with this port set up.
- (3*) Evident corner softness with this set up.
- (4*) A diopter lens should be attached to the lens in order to keep close focus capabilities behind the dome port underwater.

Dome 4,5" -B120 cod. AS770
 Dome 6,5" Crystal -B120 cod. AS740

Dome 5,5" Polycarbonate -B120 cod. AS801
 Dome 9" -B120 cod. AS795

ISOTECNIC Srl

Via Milano, 177/B | Castelnuovo del Garda | 37014 | Verona | Italia | Partita IVA 04476140233 | Tel. +39 045.6450480

info@isotecnic.it | www.isotecnic.it

Follow us on   

PORT CHART

Nikon

LENS	GEAR	PORT	EXTENSION RING
NIKON AF-S Nikkor 18-70 mm F 3.5-4.5G ED	Zoom Gear AS861	Dome 6,5" Crystal Dome 5,5" Polycarbonate	30 mm AS776
		Dome 9"	20 mm AS775
NIKON AF-S DX 18-105mm f/3.5-5.6 G ED VR	Zoom Gear AS615	Dome 6,5" Crystal Dome 5,5" Polycarbonate	50 mm AS778
		Dome 9"	40 mm AS777
NIKON AF-S Nikkor 20-35 mm F 2.8	Zoom Gear AS839	Dome 6,5" Crystal Dome 5,5" Polycarbonate	50 mm AS778
		Dome 9"	40 mm AS777
NIKON AF-S Nikkor 24-70 mm F 2.8G ED	Zoom Gear AS840	Dome 6,5" Crystal Dome 5,5" Polycarbonate	100 mm AS852
		Dome 9"	90 mm AS851
NIKON AF-S Nikkor 24-85 mm F 3.5-4.5G ED VR	Zoom Gear AS875	Dome 6,5" Crystal Dome 5,5" Polycarbonate	40 mm AS777
		Dome 9"	30 mm AS776
NIKON AF-S Nikkor 28-70 mm F 2.8D ED	Zoom Gear AS841	Dome 60 Macro	20 mm AS775
NIKON AF-S Nikkor 28-105 mm	Zoom Gear AS744	Dome 6,5" Crystal Dome 5,5" Polycarbonate	35 mm AS854

⚠ CAUTION!

- (1*) Best set up for this lens.
- (2*) Come corner softness in the image at open to medium f/stops with this port set up.
- (3*) Evident corner softness with this set up.
- (4*) A diopter lens should be attached to the lens in order to keep close focus capabilities behind the dome port underwater.

Dome 4,5" -B120 cod. AS770
Dome 6,5" Crystal -B120 cod. AS740

Dome 5,5" Polycarbonate -B120 cod. AS801
Dome 9" -B120 cod. AS795


ISOTECNIC Srl

Via Milano, 177/B | Castelnuovo del Garda | 37014 | Verona | Italia | Partita IVA 04476140233 | Tel. +39 045.6450480

info@isotecnic.it | www.isotecnic.it

Follow us on   

PORT CHART



⚠ CAUTION!

- (1*) Best set up for this lens.
- (2*) Come corner softness in the image at open to medium f/stops with this port set up.
- (3*) Evident corner softness with this set up.
- (4*) A diopter lens should be attached to the lens in order to keep close focus capabilities behind the dome port underwater.

Dome 4,5" -B120 cod. AS770
Dome 6,5" Crystal -B120 cod. AS740

Dome 5,5" Polycarbonate -B120 cod. AS801
Dome 9" -B120 cod. AS795

ISOTECNIC Srl

Via Milano, 177/B | Castelnuovo del Garda | 37014 | Verona | Italia | Partita IVA 04476140233 | Tel. +39 045.6450480

info@isotecnic.it | www.isotecnic.it

Follow us on